## Ga naar Gebruikers en klik op + Gebruiker toevoegen.

<b>0000</b> v2.24.2	(V) booq Demo EN 🛈		Demo booq 🗸
« Minimize menu Ø Dashboard	Users (4 users) Q Type to search		≣ Show 50 ~record + Add user Import
Articles ✓	ID 🗘 Name 🗘 Email address 🗘	Usergroups	
<ul> <li>✓</li> <li>✓</li></ul>	Image: Constraint of the state of the s		
		1	



# () Klik op het tekstveld onder Naam om de gebruikersnaam toe te voegen.

<b>60001</b> v2:24.2	(V) booq De	Add User	User	close 🗴
<ul> <li>« Minimize menu</li> <li>Dashboard</li> <li>Articles </li> </ul>	Users (4 user	A User	General     Areas       Name *     Where has the user access to? Select All Deselect all       Rele(s)     None	
A <sub>2</sub> Finances ✓ (☉ General A General			Identification	
Production stations Facilities Cash stores Printers App links Table map Users Usergroups POS devices Courses Customers Customers Currencies Turnover groups Package profiles			Your reference ID	
E Payment V				
			Save and add new	Save

## () Klik op de gebruikersrol(len) door Backoffice-gebruiker of App-gebruiker of beide te kiezen.

<b>0000</b> v2.24.2	(V) booq De	Add User	User	close 🛞
« Minimize menu	Users (4 user	🚊 User	General Areas	
Ø Dashboard			Name * Where has the user access to? Select All Deselect all	
🕅 Articles 🗸 🗸	α		Haevnsl None	
√ Finances ✓			Backoffice user     App user	
General ^			Identification	
General			Your reference ID	
Production stations				
Facilities				
Printers				
App links				
Table map				
Users				
Usergroups				
POS devices				
Courses				
Customers				
Currencies				
Turnover groups				
Package profiles				
⊟ Payment 🗸				
			Save and add new	Save

## () Als uw Gebruiker een Backoffice-gebruiker is, vinkt u het vakje naast Backoffice-gebruiker aan.

<b>6000</b> v2.24.2	(V) booq De	Add User	User		close 🛞
« Minimize menu @ Dashboard	Users (4 user	A User	General	Areas	
🕅 Articles 🗸 🗸	۵ 🤇		Name * Haevns	Where has the user access to? Select All Deselect all None	
-√ Finances ∨			Backoffice user App user		
General ^ General			Identification Your reference	ID	
Production stations Facilities Cash stores Printers App links Table map Users Usergroups POS devices Courses Customers Customers Currencies Turnover groups					
Package profiles					
				Save and add new	Save

### (i) Klik op het tekstveld onder E-mailadres om het e-mailadres van de Backoffice-gebruiker toe te voegen.

<b>0000</b> v2.24.2	(V) booq De	Add User	User	DSE 🛞
« Minimize menu	Users (4 user	A User	General Areas	
Ø Dashboard			Name * Where has the user access to? Select All Deselect all	
🕅 Articles 🗸 🗸	Q (		Haevns China Dama China	
*			Role(s)	
-√ Finances 🗸			Backoffice user App user Difference and Difference	
General     A			Backoffice user	
General	6		Email address *	
Production stations	06			
Facilities	0 6 6		Current password *	
Cash stores				
Printers			New password *	
App links				
lisers				
Usergroups			New password should have a minimum of 8 characters.	
POS devices			New password confirmation "	
Courses				
Customers			Usergroups	
Currencies			g,p	
Turnover groups			Usergroup	
Package profiles				
🖂 Payment 🗸 🗸			+ Add usergroup	
			Identification	
			Your reference ID	
				_
			Save and add new S	ave

## () Klik op het tekstveld hieronder Nieuw wachtwoord\* voeg een nieuw wachtwoord toe.

<b>6000</b> v2.24.2	(V) booq De	Add User	User	close 🛞
« Minimize menu	Users (4 user	오 User	General	Areas
<ul> <li>Dashboard</li> </ul>			Name *	Where has the user access to? Select All Deselect all
🕥 Articles 🗸 🗸	u		Haevns	∧ □ (V) boog Demo EN
			Role(s)	
-√ Finances ✓			Backoffice user	HD Video Demo English
General ^			Backoffice user	
General	06		Email address *	
Production stations	06		haevns@haevns.de	
Facilities	066		Current password *	
Cash stores				
App links			New password *	
Table map			©	
Users			New password should have a minimum of 8 characters.	
Usergroups			New password confirmation *	
POS devices				
Courses				
Currencies			Usergroups	
Turnover groups			10	
Package profiles			V	
Payment			+ Add usergroup	
			Ident/Firsting	
			Identification	
			Your reference	ID
				Save and add new Save

METRO

(i)

Klik op het tekstveld Bevestiging nieuw wachtwoord. Bevestig uw nieuwe wachtwoord. Let op: zolang uw nieuwe wachtwoord niet is bevestigd, kan uw Gebruiker niet worden opgeslagen.

<b>6000</b> v2.24.2	(V) booq De	Add User	User	с	lose 🛞
« Minimize menu	Users (4 user	A User	General	Areas	
Ø Dashboard			Name *	Where has the user access to? Select All Deselect all	
🕥 Articles 🗸 🗸	α		Haevns	(V) boog Demo EN	
			Role(s)		
-√ Finances ✓			Backoffice user App user	HD Video Demo English	
General ^			Backoffice user		
General	0		Email address *		
Production stations	0 6 6		haevns@haevns.de		
Facilities	0 6 6		Current password *		
Cash stores					
App links			New password *		
Table map			······		
Users			New password should have a minimum of 8 characters.		
Usergroups			New password confirmation *		
POS devices			1		
Courses					
Customers			Usergroups		
Turnover groups					
Package profiles			Usergroup		
Daymant			+ Add usergroup		
			Identification		
			Your reference	ID	
				Save and add new	Save

### (i) Klik op Gebruikersgroep.



 Nadat u op Gebruikersgroep hebt geklikt, selecteert u de gebruikersgroep waaraan de gebruiker moet worden toegevoegd. Let op: het is niet nodig om een gebruikersgroep toe te voegen.

<b>6000</b> v2.24.2	(V) booq De	Add User	User	CLOSE 🛞
« Minimize menu	Users (4 user	A User	General Areas	
Ø Dashboard			Name * Where has the user access to? Select All Deselect all	
🛞 Articles 🗸 🗸	α		Haevns	
			Role(s)	
-√ Finances ✓			Backoffice user App user HD Video Demo English	
General ^			Backoffice user	
General	0		Email address *	
Production stations	060		haevns@haevns.de	
Facilities	0 6 6		Current password *	
Cash stores				
App links			New password *	
Table map			••••••	
Users			New password should have a minimum of 8 characters.	
Usergroups			New password confirmation *	
POS devices				
Courses				
Customers			Usergroups	
Currencies				
Package profiles			Usergroup	
E Payment V				
			Your reference ID	
			Save and add new	Save

### (i) Klik op + Gebruikersgroep toevoegen om uw App-gebruiker aan een andere groep toe te voegen.

د (V) boog De	Add User	User	close 🛞
« Minimize menu Users (4 user	A User	General	Areas
Ø Dashboard		Name *	Where has the user access to? Select All Deselect all
		Haevns	<ul> <li>C (V) beeg Parts EN</li> </ul>
		Role(s)	
-√ Finances ✓		✓ Backoffice user □ App user	HD Video Demo English
General		Backoffice user	
General		Email address *	
Production stations		haevns@haevns.de	
Facilities		Current password *	
Cash stores			
Printers		New password *	
Table map		••••••	
Users		New password should have a minimum of 9 characters	
Usergroups		New password on firmation *	
POS devices			
Courses			
Customers		Usergroups	
Currencies			
Turnover groups		Usergroup	
Package profiles		×	
🖂 Payment 🗸		+ Add usergroup	
		Identification	
		Your reference	ID
			Save and add new Save



ISH METRO

In de categorie Gebieden kunt u selecteren waar de gebruiker toegang heeft door de vakjes naast de gebieden aan te vinken. Opmerking: u kunt ook alles selecteren of alles deselecteren.

<b>6000</b> v2.24.2	(V) booq De	Add User	User	CLOSE 🛞
« Minimize menu	Users (4 user	Liser	General	Areas
Ø Dashboard			Name "	Where has the user access to? Select All Deselect all
Articles V	Q (		Haevns	
<b></b>			Role(s)	∧ □ (V) booq Demo EN
-√ Finances 🗸 🗸				HD Video Demo English
③ General ^	0 6 6		Backoffice user	
General	0		Email address *	
Production stations	2 G Ó		haevns@haevns.de	
Facilities	0 6 6		Current password *	
Cash stores				
Printers			New password *	
Table map			······	
Users				
Usergroups			New password should have a minimum of 8 characters.	
POS devices			New password confirmation	
Courses				
Customers			Usergroups	
Currencies				
Turnover groups			Usergroup	
Package profiles			×	
📄 Payment 🗸 🗸			+ Add usergroup	
			Identification	
			Your reference	ID
				Save and add new Save



### () Klik op Opslaan .





## () Als de gebruiker echter een app-gebruiker is, klikt u op app-gebruiker .

<b>6000</b> v2.24.2	(V) booq De	Add User	User CLOS	ie 🗙
« Minimize menu	Users (4 user	음 User	General Areas	
Ø Dashboard			Name * Where has the user access to? Select All Deselect all	
M Articles 🗸	Q (		Haevns	
<b>*</b>			Role(s)	
-√ Finances 🗸 🗸			Backoffice user App user	
General			App user	
	0		First name	
Production stations	766			
Facilities			Last name	
Cash stores	<u> </u>			
Printers			Directol	
App links			rincode	
Table map				
Users			Barcode/pascode	
Disergroups BOS devices				
Courses			Language	
Customers			None	
Currencies			Useraroups	
Turnover groups			0	
Package profiles			Usergroup	
Payment			v	
			+ Add usergroup	
			Identification	
			Your reference ID	
			Save and add new Sa	ve

ISH Metro



<b>0000</b> v2.24.2	(V) booq De	Add User	User	close 🗴
« Minimize menu	Users (4 user	은 User	General Areas	
<ul> <li>Dashboard</li> </ul>			Name * Where has the user access to? Select All Deselect all	
🛞 Articles 🗸 🗸	u _		Haevns	
			Role(s)	
-\/- Finances 🗸 🗸			Backoffice user App user	
General     A			App user	
General	0 6		First name	
Production stations	0 6 6		Haevns	
Facilities	0 6 6		Last name	
Cash stores			schoolos	
Printers App links			Pincode*	
Table map				
Users			Barcode/pascode	
Usergroups				
POS devices			Language	
Courses			None v	
Customers				
Turnover groups			Usergroups	
Package profiles			Heatereous	
E Payment V			+ Add usergroup	
			Identification	
			Your reference ID	
			Save and add new	Save

### (i) Klik op Pincode\* en typ de Apps Pincode in. Let op: dit is niet optioneel.

<b>6000</b> v2.24.2	(V) booq De	Add User	User	close 🛞
« Minimize menu	Users (4 user	୍  User	General	Areas
Ø Dashboard			Name *	Where has the user access to? Select All Deselect all
🕅 Articles 🗸 🗸	α		Haevns	V) boog Demo EN
			Role(s)	
-\/- Finances 🗸 🗸			□ Backoffice user  GApp user	HD Video Demo English
General ^			App user	
General			First name	
Production stations			Haevns	
Facilities			Last name	
Cash stores			schoolos	
Ann links			Pincode*	
Table map				
Users			Barcode/pascode	
Usergroups				
POS devices			Language	
Courses			None	
Customers				
Turnover groups			Usergroups	
Package profiles			literation	
			⊂ Sergioup	
Payment V			+ Add usergroup	
			Identification	
			Your reference	ID
				Save and add new Save

### (i) Klik op het tekstveld onder Barcode/pascode e typ de barcode of pascode in. Let op: dit is optioneel.

<b>60001</b> v2.24.2	(V) booq De	Add User	User				close 🛞
« Minimize menu	Users (4 user	A User	General		Areas		
Ø Dashboard	<u> </u>		Name *		Where has the user access to? Sele	ct All Deselect all	
🕥 Articles 🗸 🗸	α		Haevns		<ul> <li>O() boog Dama EN</li> </ul>		
			Role(s)				
√ Finances ✓			Backoffice user 🗹 App user		<ul> <li>HD Video Demo English</li> </ul>		
General ^			App user				
General	0		First name				
Production stations	060		Haevns				
Facilities			Last name				
Cash stores			schoolos				
Printers			Pincode*				
App links			1234				
Table map			Barcode/pascode				
Usergroups							
POS devices			Language				
Courses			None	$\sim$			
Customers							
Currencies			Usergroups				
Turnover groups							
Package promes			Usergroup				
E Payment V			+ Add usergroup	~			
			Identification				
			Your reference		ID		
						Save and add new	Save

### () Door op Geen onder Taal te klikken, kunt u een Taal toevoegen.

<b>6000</b> v2.24.2	(V) booq De	Add User	User	CLOSE	×
« Minimize menu	Users (4 user	은 User	General	Areas	
<ul> <li>Dashboard</li> </ul>			Name *	Where has the user access to? Select All Deselect all	
🛞 Articles 🗸 🗸	ч <u> </u>		Haevns	(V) boog Demo EN	
			Role(s)		
-/ <sub>V</sub> Finances V	0.6.4		Backoffice user	HD Video Demo English	
General ^			App user		
General	0		First name		
Production stations	060		Haevns		
Facilities	2 6 6		Last name		
Cash stores			schoolos		
Printers			Pincode°		
App links			1234		
Users			Barcode/pascode		
Usergroups			987654		
POS devices			Language		
Courses			None V		
Customers					
Currencies			Usergroups		
Package profiles					
			Usergroup		
E Payment V			+ Add usergroup		
			Identification		
			Your reference	ID	
				Save and add new Save	)



# () Selecteer de gewenste taal.

<b>0000</b> v2.24.2	(V) booq De	Add User	User	с	:lose 🛞
« Minimize menu	Users (4 user	User	General	Areas	
<ul> <li>Dashboard</li> </ul>			Name *	Where has the user access to? Select All Deselect all	
Articles 🗸	Q (		Haevns		
Ψ			Role(s)	(V) bood Demo EN	
-√ Finances ✓			Backoffice user App user	<ul> <li>HD Video Demo English</li> </ul>	
General     A			App user		
General			First name		
Production stations			Haevns		
Facilities			Last name		
Cash stores			schoolos		
Printers			Pincode*		
App links			1234		
Table map			Deres de la constate		
Users			gezesa		
POS devices			367034		
Courses			Language		
Customers			None		
Currencies			✓ None		
Turnover groups			German		
Package profiles			French		
Payment     v			Dutch		
			Ukrainian		
			Identification		
			Your reference	D	
				Save and add new	Save



 U kunt uw App-gebruiker toevoegen aan een Gebruikersgroep door op het veld onder Gebruikersgroep te klikken.

<b>0000</b> v2.24.2	(V) booq De	Add User	User		close 🙁
« Minimize menu	Users (4 user	<mark>ب</mark> User	General Areas		
Ø Dashboard			Name * Where has	is the user access to? Select All Deselect all	
🕅 Articles 🗸 🗸	Q (		Haevns	hade Dame EN	
Ť			Role(s)	Dood Demo EN	
-/ <sub>/</sub> Finances 🗸			Backoffice user App user	1D Video Demo English	
General ^	0 6 6		App user		
General	6		First name		
Production stations	066		Haevns		
Facilities	0 6 6		Last name		
Cash stores			schoolos		
Printers			Pincode*		
App links Table man			1234		
Users			Barcode/pascode		
Usergroups			987654		
POS devices			Language		
Courses			None		
Customers					
Currencies			Usergroups		
Turnover groups					
Package profiles			Usergroup		
🖂 Payment 🗸 🗸			~		
			★ Add usergroup		
			Identification		
			Your reference	ID	
				Save and add new	Save



# () Selecteer uw gebruikersgroep.

<b>6000</b> v2.24.2	(V) booq De	Add User	User	CLOSE 🛞
« Minimize menu	Users (4 user	A User	General	Areas
Ø Dashboard			Name *	Where has the user access to? Select All Deselect all
🕅 Articles 🗸	α (		Haevns	
<b></b>			Role(s)	V) booq Demo EN
-√ Finances ✓			Backoffice user	HD Video Demo English
General ^			App user	
General			First name	
Production stations			Haevns	
Facilities			Last name	
Cash stores			schoolos	
Printers			Pincode*	
App links			1234	
Table map			Barcode/pascode	
Users			987654	
POS devices				
Courses			Language	
Customers			None	
Currencies			Usergroups	
Turnover groups				
Package profiles			Usergroup	
Payment			$\sim$	
			Bediende	
			Manager	
			Your reference	ID
				Save and add new Save

### () Klik op + Gebruikersgroep toevoegen om het app-gebruik aan een andere groep toe te voegen.

<b>6000</b> v2.24.2	(V) booq De	Add User	User	close 🛞
« Minimize menu	Users (4 user	୍  User	General	Areas
Ø Dashboard			Name *	Where has the user access to? Select All Deselect all
🕥 Articles 🗸 🗸	α		Haevns	V) boog Demo EN
			Role(s)	
-√ Finances ✓			□ Backoffice user  GApp user	<ul> <li>HD Video Demo English</li> </ul>
General ^			App user	
General	0 0		First name	
Production stations	06		Haevns	
Facilities	06		Last name	
Cash stores			schoolos	
App links			Pincode*	
Table map			1234	
Users			Barcode/pascode	
Usergroups			987654	
POS devices			Language	
Courses			None	
Currencies				
Turnover groups			Usergroups	
Package profiles			Useraroup	
Payment			~ · · · · · · · · · · · · · · · · · · ·	
			+ Add usergroup	
			Identification	
			Your reference	ID
				Save and add new Save



ISH METRO

(i) In de categorie Gebieden kunt u selecteren waar de gebruiker toegang heeft door de vakjes naast de gebieden aan te vinken. Opmerking: u kunt ook alles selecteren of alles deselecteren.

<b>6000</b> v2.24.2	(V) booq De	Add User	User			CLC	DSE 🛞
« Minimize menu	Users (4 user	A User	General		Areas		
Ø Dashboard			Name *		Where has the user access to? Sele	ect All Deselect all	
Articles 🗸	Q (		Haevns				_
<b>*</b>			Role(s)		(V) bood Demo EN		
-√ Finances 🗸			🗌 Backoffice user 🛛 App user		<ul> <li>HD Video Demo English</li> </ul>		
General ^	0 6 6		App user				
General	0		First name				
Production stations	/ G t		Haevns				
Facilities			Last name				
Cash stores			schoolos				
Printers			Pincode*				
App links			1234				
Table map			Deres de la constante				
Users			De7654				
POS devices			56/034				
Courses			Language				
Customers			None	~			
Currencies			lleorgroupe				
Turnover groups			osergroups				
Package profiles			Usergroup				
				~			
Payment V			+ Add usergroup				
			Identification				
			Your reference		ID		
						Save and add new	Save

## () Klik op Opslaan om het toevoegen van de Gebruiker te bevestigen.

6000 v2.24.2	(V) booq De	Add User	User	close 🛞
« Minimize menu	Users (4 user	A User	General	Areas
Ø Dashboard			Name *	Where has the user access to? Select All Deselect all
🕥 Articles 🗸 🗸	α		Haevns	V) hoos Demo EN
			Role(s)	
-\/ Finances 🗸			Backoffice user	<ul> <li>HD Video Demo English</li> </ul>
General ^			App user	
General	0		First name	
Production stations	060		Haevns	
Facilities			Last name	
Cash stores			schoolos	
Printers			Pincode*	
App links			1234	
lable map			Barcode/pascode	
Usergroups			987654	
POS devices			Language	
Courses			None	
Customers				
Currencies			Usergroups	
Turnover groups				
Package profiles			Usergroup	
🖂 Payment 🗸 🗸			×	
			+ Add usergroup	
			Identification	
			Your reference	ID
				Save and add new

### booq - Gebruikersbeheer

# () Dat is alles. Je bent klaar.

0000 v2.24.2	(V) booq Demo EN 💿		Demo booq 🗸
<ul> <li>« Minimize menu</li> <li>② Dashboard</li> <li>③ Articles </li> </ul>	Users (5 users) Q Type to search	;⊒ Show <b>50</b>	vrecords + Add user Import
↓ Finances ↓	ID 🗘 Name 🗘 Email address 🗘	Usergroups	
General A General	<ul> <li>⊘ G m #3     <li>⊘ G #1     <li>⊘ G m #6     <li>Haevns     </li> </li></li></li></ul>		
Facilities Cash stores Printers	Image:		
App links Table map <b>Users</b>			
Usergroups POS devices Courses Customers			
Currencies Turnover groups Package profiles			
E Payment V			
		1	





Scan to go to the interactive player