





Click the **pencil icon** to edit POS Devices.



The screenshot shows the 'booq v2.25.0' interface for '(V) booq Demo EN'. The left sidebar contains a navigation menu with categories like 'Dashboard', 'Articles', 'Finances', 'General', and 'Payment'. The 'General' category is expanded, showing sub-items such as 'General', 'Production stations', 'Facilities', 'Cash stores', 'Printers', 'App links', 'Table map', 'Users', 'Usergroups', 'POS devices', 'Courses', 'Customers', 'Currencies', 'Turnover groups', and 'Package profiles'. The 'POS devices' sub-item is highlighted. The main content area displays a table titled 'Pos Devices (1 pos devices)'. The table has columns for 'ID', 'Name', 'Location', and 'UUID'. A single row is visible with the following data: ID '#1', Name 'booqBESVM', Location 'HD Video Demo English', and UUID '12618f27-239f-49b6-9a0d-516f35bd9b35'. A pencil icon in the first column of this row is highlighted with an orange box, indicating it is the target for editing. A search bar and a 'Show 50 records' dropdown are also visible at the top of the table area.

ID	Name	Location	UUID
#1	booqBESVM	HD Video Demo English	12618f27-239f-49b6-9a0d-516f35bd9b35


 Click on the **text field** next to Name* and edit the name if necessary.



The screenshot shows the 'Edit Pos Device' interface. On the left is a sidebar menu with 'POS devices' selected. The main content area is titled 'Edit Pos Device' and contains a 'Pos configuration' form. The form has a header 'Pos configuration' with a 'CLOSE' button. Below the header are fields for 'Id' (1), 'Name' (booqBESVM, highlighted with an orange box), 'UUID*' (12618f27-239f-49b6-9a0d-516f35bd9b), and 'Fiscal Id'. The 'Configuration' section includes 'Table maps' (Terrace), 'Ticket printer' (BONPRINTER), 'Connected PIN' (None), 'Suppress drawer signal' (No), 'Facility' (HD Video Demo English), 'Selected payment method menu' (None), and 'Autolog User' (None). A 'Save' button is at the bottom right.



Click on the **arrow** to select a Ticket printer.




The screenshot displays the 'Edit Pos Device' interface for a booq POS system. The left sidebar shows a navigation menu with categories like 'Dashboard', 'Articles', 'Finances', 'General', and 'Payment'. The main content area is titled 'Pos configuration' and includes fields for 'Id', 'Name', 'UUID', and 'Fiscal Id'. Below these fields is a 'Configuration' section with several settings:

- Table maps:** Includes a checkbox for 'Terrace'.
- Ticket printer:** A dropdown menu currently set to 'BONPRINTER', with a small downward arrow highlighted by an orange box.
- Connected PIN:** A dropdown menu set to 'None'.
- Suppress drawer signal:** Radio buttons for 'Yes' and 'No', with 'No' selected.
- Facility:** A dropdown menu set to 'HD Video Demo English'.
- Selected payment method menu:** A dropdown menu set to 'None'.
- Autolog User:** A dropdown menu set to 'None'.

A 'Save' button is located at the bottom right of the configuration panel.




Click on **None** to select a Connected Pin. **Note: it is possible that you have no Connected Pin.**



The screenshot displays the 'Edit Pos Device' interface for a device named 'booqBESVM'. The 'Pos configuration' section is active, showing various settings. The 'Connected PIN' dropdown menu is highlighted with an orange box, and the 'None' option is selected. Below this dropdown, a note states: 'This setting suppresses opening the drawer when a ticket is being printed'. Other settings include 'Ticket printer' (BONPRINTER), 'Facility' (HD Video Demo English), 'Selected payment method menu' (None), and 'Autolog User' (None). The 'Suppress drawer signal' option is set to 'No'.



In our case we have no Connected Pin, so we select **None**.




The screenshot displays the 'Edit Pos Device' interface for a POS configuration. The main configuration area is titled 'Pos configuration' and includes fields for 'Id' (1), 'Name' (booqBESVM), 'UUID' (12618f27-239f-49b6-9a0d-516f35bd9b), and 'Fiscal Id'. Below these fields is the 'Configuration' section, which is divided into several rows of settings:

- Table maps:** Includes a checkbox for 'Terrace'.
- Ticket printer:** Set to 'BONPRINTER'.
- Connected PIN:** A dropdown menu is open, showing 'None' as the selected option. The 'None' option is highlighted with a blue background and a checkmark.
- Suppress drawer signal:** Radio buttons for 'Yes' and 'No', with 'No' selected.
- Facility:** Set to 'HD Video Demo English'.
- Selected payment method menu:** Set to 'None'.
- Autolog User:** Set to 'None'.

A 'Save' button is located at the bottom right of the configuration area.



Decide whether drawer signal shall be suppressed or not by ticking **Yes** or **No**.



The screenshot displays the 'Edit Pos Device' interface for a device named 'booqBESVM'. The 'Pos configuration' section is active, showing various settings. The 'Suppress drawer signal' option is highlighted with a red box, indicating it should be set to 'No'.

Pos configuration (CLOSE X)

Id: 1 | Name: booqBESVM | UUID: 12618f27-239f-49b6-9a0d-516f35bd9b | Fiscal Id: []

Configuration

Table maps: Terrace

Ticket printer: BONPRINTER

Connected PIN: None

Suppress drawer signal: Yes No

Facility: HD Video Demo English


Selected payment method menu: None

Autolog User: None

Save



Change the Facility information by clicking on the field with your store name **HD Video Demo English**.




The screenshot displays the 'Edit Pos Device' interface for 'booq v2.25.0'. The left sidebar contains a navigation menu with categories like 'Dashboard', 'Articles', 'Finances', 'General', and 'Payment'. The main content area is titled 'Pos configuration' and includes fields for 'Id', 'Name', 'UUID', and 'Fiscal Id'. Below these is a 'Configuration' section with various settings:

- Table maps:** Includes a checkbox for 'Terrace'.
- Ticket printer:** Set to 'BONPRINTER'.
- Connected PIN:** Set to 'None'.
- Suppress drawer signal:** Radio buttons for 'Yes' and 'No' (selected).
- Facility:** A dropdown menu showing 'HD Video Demo English', which is highlighted with an orange border.
- Selected payment method menu:** Set to 'None'.
- Autolog User:** Set to 'None'.

A 'Save' button is located at the bottom right of the configuration panel.




Click on the following **arrow**.



Navigation sidebar for booq v2.25.0. The sidebar is dark grey with white text. It includes a 'Minimize menu' button at the top, followed by 'Dashboard', 'Articles', 'Finances', 'General', and 'Payment'. The 'General' section is expanded, showing sub-items: General, Production stations, Facilities, Cash stores, Printers, App links, Table map, Users, Usargroups, POS devices, Courses, Customers, Currencies, Turnover groups, and Package profiles.

Edit Pos Device

Pos configuration



Pos configuration form for device booqBESVM. The form includes fields for Id (1), Name (booqBESVM), UUID (12618f27-239f-49b6-9a0d-516f35bd9b), and Fiscal Id. The Configuration section contains several settings: Table maps (Terrace checkbox), Ticket printer (BONPRINTER dropdown), Connected PIN (None dropdown), Suppress drawer signal (radio buttons for Yes and No, with No selected), Facility (HD Video Demo English dropdown), Selected payment method menu (HD Video Demo English dropdown, highlighted with an orange box), and Autolog User (None dropdown). A Save button is located at the bottom right.



Select your preference where the POS device have to start in when you login. In our case it's Terrace Test.

Navigation sidebar for booq v2.25.0. The sidebar is dark grey with white text. It includes a 'Minimize menu' button at the top, followed by 'Dashboard', 'Articles', 'Finances', 'General', 'Production stations', 'Facilities', 'Cash stores', 'Printers', 'App links', 'Table map', 'Users', 'Usergroups', 'POS devices', 'Courses', 'Customers', 'Currencies', 'Turnover groups', 'Package profiles', and 'Payment'.


Edit Pos Device

Pos configuration

Pos configuration form with fields for Id, Name, UUID, and Fiscal Id. The configuration section includes dropdowns for Ticket printer, Connected PIN, Facility, and Selected payment method menu. A 'Suppress drawer signal' section has radio buttons for Yes and No. A 'Facility' dropdown is open, showing options: HD Video Demo English, Restaurant, Terrace, and Terrace Test (highlighted with an orange box). A 'Save' button is at the bottom right.



Click on the field **None** to select Payment method menu.



booq v2.25.0

Edit Pos Device

Pos configuration

Pos configuration CLOSE

Id: 1 Name: booqBESVM UUID: 12618f27-239f-49b6-9a0d-516f35bd9b Fiscal Id:

Configuration

Table maps
 Terrace

Ticket printer: BONPRINTER

Connected PIN: None

Facility: Terrace Test

Selected payment method menu: **None**


Autolog User: None

Suppress drawer signal: Yes No

This setting suppresses opening the drawer when a ticket is being printed

Save

 Select your preference. In our case it's **Payment Methods**.



The screenshot displays the 'Edit Pos Device' interface for a device named 'booqBESVM'. The 'Configuration' section is active, showing various settings. The 'Selected payment method menu' dropdown is open, with 'Payment Methods' selected and highlighted by an orange box. Other settings include 'Ticket printer' set to 'BONPRINTER', 'Connected PIN' set to 'None', 'Facility' set to 'Terrace Test', and 'Suppress drawer signal' set to 'No'.

Configuration

Table maps	Ticket printer	BONPRINTER	Facility	Terrace Test
<input type="checkbox"/> Terrace	Connected PIN	None	Selected payment method menu	Payment Methods
	Suppress drawer signal	<input type="radio"/> Yes <input checked="" type="radio"/> No	Autolog User	None
				External Payments
				<input checked="" type="checkbox"/> Payment Methods

Save



Click on **None**.

booq v2.25.0

- « Minimize menu
- Dashboard
- Articles
- Finances
- General
 - General
 - Production stations
 - Facilities
 - Cash stores
 - Printers
 - App links
 - Table map
 - Users
 - Usargroups
 - POS devices
 - Courses
 - Customers
 - Currencies
 - Turnover groups
 - Package profiles
- Payment

Edit Pos Device

Pos configuration

Pos configuration

CLOSE

Id: 1 Name: booqBESVM UUID: 12618f27-239f-49b6-9a0d-516f35bd9b Fiscal Id:


Configuration

<input type="checkbox"/> Terrace	Ticket printer BONPRINTER	Facility Terrace Test
	Connected PIN None	Selected payment method menu Payment Methods
	Suppress drawer signal <input type="radio"/> Yes <input checked="" type="radio"/> No	Autolog User None

This setting suppresses opening the drawer when a ticket is being printed

Save

 **Select** your AutoInlog User. In our case we selected **None**.



The screenshot displays the 'Edit Pos Device' interface for a device named 'booqBESVM'. The 'Configuration' section includes several settings:

- Table maps:** Terrace (checkbox)
- Ticket printer:** BONPRINTER
- Connected PIN:** None
- Suppress drawer signal:** No (selected)
- Facility:** Terrace Test
- Selected payment method menu:** Payment Methods
- AutoInlog User:** A dropdown menu with options: None (selected and highlighted with an orange box), Clerk, Manager, and Support.

A 'Save' button is located at the bottom right of the configuration panel.



Tick the following **box** to add a Table map.

The screenshot displays the 'Edit Pos Device' interface for a device named 'booqBESVM'. The left sidebar shows a navigation menu with 'POS devices' selected. The main configuration area is titled 'Pos configuration' and includes fields for 'Id' (1), 'Name' (booqBESVM), 'UUID' (12618f27-239f-49b6-9a0d-516f35bd9b), and 'Fiscal Id'. Below these is the 'Configuration' section, which contains several settings:

- Table maps:** A list of table maps with a checkbox next to 'Terrace' which is highlighted with an orange box.
- Ticket printer:** Set to 'BONPRINTER'.
- Connected PIN:** Set to 'None'.
- Suppress drawer signal:** Radio buttons for 'Yes' and 'No', with 'No' selected.
- Facility:** Set to 'Terrace Test'.
- Selected payment method menu:** Set to 'Payment Methods'.
- Autolog User:** Set to 'None'.

A 'Save' button is located at the bottom right of the configuration panel.



Click on **Save**.

booq v2.25.0

- « Minimize menu
- Dashboard
- Articles
- Finances
- General
 - General
 - Production stations
 - Facilities
 - Cash stores
 - Printers
 - App links
 - Table map
 - Users
 - Usargroups
 - POS devices
 - Courses
 - Customers
 - Currencies
 - Turnover groups
 - Package profiles
- Payment

Edit Pos Device

Pos configuration

Pos configuration

CLOSE

Id: 1 Name: booqBESVM UUID: 12618f27-239f-49b6-9a0d-516f35bd9b Fiscal Id:

Configuration

Table maps

Terrace

Ticket printer

BONPRINTER

Facility

Terrace Test

Connected PIN

None

Selected payment method menu

Payment Methods

Suppress drawer signal

Yes No

This setting suppresses opening the drawer when a ticket is being printed


Autolog User

None

Save



Delete a Pos Device by clicking the **bin icon**.




The screenshot shows the 'booq v2.25.0' interface for managing POS devices. The left sidebar contains a navigation menu with categories like 'Dashboard', 'Articles', 'Finances', 'General', and 'Payment'. The 'General' category is expanded, showing sub-items such as 'General', 'Production stations', 'Facilities', 'Cash stores', 'Printers', 'App links', 'Table map', 'Users', 'Usergroups', 'POS devices', 'Courses', 'Customers', 'Currencies', 'Turnover groups', and 'Package profiles'. The 'POS devices' sub-item is selected. The main content area displays 'Pos Devices (1 pos devices)' with a search bar and a table. The table has columns for 'ID', 'Name', 'Location', and 'UUID'. A single device is listed with ID '#1', Name 'booqBESVM', Location 'Terrace Test', and UUID '12618f27-239f-49b6-9a0d-516f35bd9b35'. A bin icon is highlighted with an orange box next to the ID column.

ID	Name	Location	UUID
#1	booqBESVM	Terrace Test	12618f27-239f-49b6-9a0d-516f35bd9b35



Confirm your deletion by clicking **Ok**.




The screenshot shows the 'Pos Devices' management interface in the booq system. A confirmation dialog is displayed in the center, asking 'Are you sure to delete the selected item?'. The 'Ok' button is highlighted with an orange square, indicating the correct action to confirm the deletion. The background shows a table with one device listed: ID #1, Name booqBESVM, Location Terrace Test, and UUID 12618f27-239f-49b6-9a0d-516f35bd9b35.

ID	Name	Location	UUID
#1	booqBESVM	Terrace Test	12618f27-239f-49b6-9a0d-516f35bd9b35



That's it. You're done.



booq v2.25.0 (V) booq Demo EN Demo booq

« Minimize menu

- Dashboard
- Articles
- Finances
- General
 - General
 - Production stations
 - Facilities
 - Cash stores
 - Printers
 - App links
 - Table map
 - Users
 - Usergroups
 - POS devices**
 - Courses
 - Customers
 - Currencies
 - Turnover groups
 - Package profiles
- Payment

Pos Devices (1 pos devices)

Q Type to search Show 50 records

ID	Name	Location	UUID
#1	booqBESVM	Terrace Test	12618f27-239f-49b6-9a0d-516f35bd9b35

1



Scan to go to the interactive player