





Click on **SETTINGS**.





Click on the **field** POS device name to edit or change this. **Note: this is optional.**




The screenshot shows the 'Settings' screen of the booq app. The screen has a blue header with a back arrow, a gear icon, and the title 'Settings'. Below the header, there are several settings sections. The 'Connection' section includes fields for 'Server hostname/IP address' (192.168.2.100), 'Server port number' (443), 'Server path' (booq), and 'Server protocol' (http:). The 'POS device name' field, containing 'ONEPLUS A5000', is highlighted with an orange border. Below this is the 'POS ID number' field with the value '2ad86d54-c81e-5f74-812b-f119f493b3b5'. The 'Miscellaneous' section at the bottom has a 'Debug mode, more error info' toggle switch, which is currently turned off. The bottom of the screen shows the Android navigation bar.

Section	Field	Value
Connection	Server hostname/IP address	192.168.2.100
	Server port number	443
	Server path	booq
	Server protocol	http:
POS device name	POS device name	ONEPLUS A5000
	POS ID number	2ad86d54-c81e-5f74-812b-f119f493b3b5
Miscellaneous	Debug mode, more error info	Off



Click on the **field** Server hostname/IP address.



Settings

Connection

Server hostname/IP address
192.168.2.100

Server port number
443

Server path
booq

Server protocol
http:

POS device name
Apple 43


POS ID number
2ad86d54-c81e-5f74-812b-f119f493b3b5

Miscellaneous

Debug mode, more error info



Type in your IP address.




The screenshot shows the 'Settings' screen of the booq app. A modal dialog is open for editing the 'Server hostname/IP address'. The modal has a title bar 'Server hostname/IP address' and a text input field containing '192.168.2.100'. The input field is highlighted with an orange border. To the right of the input field are 'CANCEL' and 'OK' buttons. The background settings list includes:

- Connection
- Server hostname/IP address: 192.168.2.100
- Server port number: 443
- Server path: booq
- Server protocol: http:
- POS device name: Apple 43
- POS ID number: 2ad86d54-c81e-5f74-812b-f119f493b3b5
- Miscellaneous
- Debug mode, more error info: [toggle switch]



Confirm by clicking **OK**.




The screenshot shows the 'Settings' screen of the booq app. A modal dialog is displayed over the 'Connection' section, titled 'Server hostname/IP address'. The dialog contains a text input field with the value '192.168.2.100'. At the bottom right of the dialog are two buttons: 'CANCEL' and 'OK'. The 'OK' button is highlighted with an orange border. The background settings are dimmed but visible.

Section	Setting	Value
Connection	Server hostname/IP address	192.168.2.100
	Server port number	443
	Server path	booq
	Server protocol	http:
	POS device name	Apple 43
Miscellaneous	POS ID number	2ad86d54-c81e-5f74-812b-f119f493b3b5
	Debug mode, more error info	<input type="checkbox"/>



Click on the following **arrow** to login. That's it. You're done.



Settings

Connection

Server hostname/IP address
192.168.2.100

Server port number
443

Server path
booq

Server protocol
http:

POS device name
Apple 43

POS ID number
2ad86d54-c81e-5f74-812b-f119f493b3b5

Miscellaneous

Debug mode, more error info



Scan to go to the interactive player