




Click on **SETTINGS**.





Click on the **field** POS device name to edit or change this. **Note: this is optional.**



Click on the **field** Server hostname/IP address.

Settings

Connection

Server hostname/IP address
192.168.2.100

Server port number
443

Server path
booq

Server protocol
http:

POS device name
Apple 43

POS ID number
2ad86d54-c81e-5f74-812b-f119f493b3b5

Miscellaneous

Debug mode, more error info



Type in your IP address.

The screenshot shows the 'Settings' screen of the booq app. The 'Connection' section is visible, with the 'Server hostname/IP address' field highlighted by a red rectangular box. The text '192.168.2.100' is entered in this field. Other settings visible include 'Server port number' (443), 'Server path' (booq), 'Server protocol' (http:), 'POS device name' (Apple 43), and 'POS ID number' (2ad86d54-c81e-5f74-812b-f119f493b3b5). The 'Miscellaneous' section at the bottom shows 'Debug mode, more error info' with a toggle switch.

Section	Setting	Value
Connection	Server hostname/IP address	192.168.2.100
	Server port number	443
	Server path	booq
	Server protocol	http:
	POS device name	Apple 43
Miscellaneous	POS ID number	2ad86d54-c81e-5f74-812b-f119f493b3b5
	Debug mode, more error info	Toggle switch



Confirm by clicking **OK**.

The screenshot shows the 'Settings' screen of the booq app. A modal dialog is displayed over the settings, titled 'Server hostname/IP address'. The dialog contains a text input field with the value '192.168.2.100'. At the bottom right of the dialog are two buttons: 'CANCEL' and 'OK'. The 'OK' button is highlighted with a red rectangle. The background settings are partially visible, showing fields for 'Server hostname/IP address' (192.168.2.100), 'Server port number' (443), 'Server path' (booq), 'Server protocol' (http:), 'POS device name' (Apple 43), and 'POS ID number' (2ad86d54-c81e-5f74-812b-f119f493b3b5). There is also a 'Miscellaneous' section with a 'Debug mode, more error info' toggle switch.

Section	Field	Value
Connection	Server hostname/IP address	192.168.2.100
	Server port number	443
	Server path	booq
	Server protocol	http:
POS device info	POS device name	Apple 43
	POS ID number	2ad86d54-c81e-5f74-812b-f119f493b3b5
Miscellaneous	Debug mode, more error info	Toggle switch



Click on the following **arrow** to login. That's it. You're done.

Settings

Connection

Server hostname/IP address
192.168.2.100

Server port number
443

Server path
booq

Server protocol
http:

POS device name
Apple 43

POS ID number
2ad86d54-c81e-5f74-812b-f119f493b3b5

Miscellaneous

Debug mode, more error info



Scan to go to the interactive player